



G A R L W A Y M A C H I N E R Y

GARLWAY MACHINERY

> > >

2014

10

R & D

60,000

3

300

Garlway Machinery



H z s 7 5

: H Z S 7 5



H Z S 7 5

	75 /
	JS1500, 30x2kW, 1.5, 2.4
	PLD2400, 4, 2400L, 80mm
	: ±2%, : ±1%
	3.8
	24350mm x 10595mm x 18704mm
	120kW
	60
	: 75 /
	JS1500

H z s 1 2 0

: H Z S 1 2 0



H Z S 1 2 0

	1 2 0 /
	J S 2 0 0 0
	2 × 3 7 k W
	3 2 0 0
	2
	P L D 3 2 0 0
	3 2 0 0
	2 ~ 4
	2 0
	1 2 0 m m
(, , ,)	± 1 %
()	± 2 %
	2 × 2 0 0
	3 . 8 4 . 2
	1 4 5 - 2 0 9 . 5 k W
	9 0 × 1 0 ³ k g

	120
	PLC

H z s 9 0

: H Z S 9 0



H Z S 9 0

	90 /
	JS1500 , 2×30kW, 1500L, 60S
	PLD2400 , 2400L, 4
	80mm
-	(0-900) ± 1%kg
-	(0-50) ± 1%kg
-	0-5000 ± 2%kg
	3×100t
	3.8 4.2
	164kW
	24 () x 10 () x 18 ()
	65000kg
	90
	JS1500

Hz s 1 8 0

: HZ S 1 8 0



	1 8 0
	J S 3 0 0 0 M A 0 4 5 0 0 / 3 0 0 0 S D S H O
	1 1 0 k W 2 × 5 5 k W
	3
	P L D 4 8 0 0
	4 8 0 0 L
	4 ~ 6
(, , , ,)	
()	0 - 1 5 0 0 k g (± 1 %)
()	0 - 5 0 k g (± 1 %)
	4
	2 0 0
	1 8 0
	J S 3 0 0 0

P L C

--	--



Garl way Machinery

55

