



GARLWAY MACHINERY

GARLWAY MACHINERY

> > >

2014

10

R & D

60,000

3

300

Garlway Machinery



H z s 3 5

: H Z S 3 5



	35 / (: 25 - 35 /)
	J S 7 5 0
	3 0 K W
	1 2 0 0 L
	0 . 7 5
	7 5 S
	P L D 1 2 0 0 3
	3 6
	1 2 0 0 L
	3
	: 6 0 m m , : 8 0 m m
	0 - 2 5 0 k g (: 1 k g)
	0 - 2 0 0 k g (: 1 k g)
	2 . 8 2 m
	3 . 8 m ()
	7 4 . 9 K W
	4 9 5 1 m m × 3 6 5 0 m m × 6 2 2 5 m m

	JS750

	50,000
--	--------

--	--

Hz s 25

: HZ S 25



	25 (20)
	J S 500
	50. 25 KW
	72 S
	0. 5
	0. 75
	PLD800 PLD1200 3
	3. 5
	800L 1200L
	50 mm
	: ± 2%; : ± 1%
	1. 5 - 3. 8 m
	50. 25 KW
	11693 mm × 13060 mm × 17245 mm
	17500 kg

	JS500
	/

Hz s 50

: HZ S 50



	50 / (: 30-35 /)
	JS1000
	2 × 18.5KW
	1000L
	1500L
	72S
	PLD1600
	3.5 × 3
	1600L
	3
	: 80mm
	0-600kg, ±1%
	0-300kg, ±1%
	2.58m
	2.7m 3.8m
	85.0KW
(2.7m)	10867mm × 4070mm × 6560mm
(3.8m)	17012mm × 4070mm × 8400mm
(2.7m)	14870kg
(3.8m)	17570kg



Garl way Machinery

55

